Contents to volume 239

Research Letters

Electrogenic photocycle of the 13-*cis* retinal-containing bacteriorhodopsin with an M intermediate involved (FEB 06408) *L.A. Drachev, A.D. Kaulen, V.P. Skulachev, V.V. Zorina* 1

Degradation of a non-phenolic arylglycerol β-aryl ether by *Streptomyces cyaneus* (FEB 06407) *W. Zimmerman, T. Umezawa, P. Broda, T. Higuchi* 5

The BChlc/e-binding polypeptides from chlorosomes of green photosynthetic bacteria (FEB 06414) *R. Wagner-Huber, R. Brunisholz, G. Frank, H. Zuber* 8

Binding and receptor down-regulation of a novel vasoconstrictor endothelin in cultured rat vascular smooth muscle cells (FEB 06419) *Y. Hirata, H. Yoshimi, S. Takaichi, M. Yanagisawa, T. Masaki* 13

Growth hormone-albumin conjugates: Reduced renal toxicity and altered plasma clearance (FEB 06411) *M.J. Poznansky, J. Halford, D. Taylor* 18

Localization of donor and acceptor sites of NADH dehydrogenase activities using inside-out and right-side-out plasma membrane vesicles from plants (FEB 06392) *P. Askerlund, C. Larsson, S. Widell* 23

The primary structure of the 70 kDa subunit of bovine soluble guanylate cyclase (FEB 06406) *D. Koesling, J. Herz, H. Gausepohl, F. Niroomand, K.-D. Hinsch, A. Mülsch, E. Böhme, G. Schultz, R. Frank* 29

Proteinase yscE of yeast shows homology with the 20 S cylinder particles of *Xenopus laevis* (FEB 06383) *J.A. Kleinschmidt, C. Escher, D.H. Wolf* 35

Cloning a synthetic gene for human stefin B and its expression in *E. coli* (FEB 06417) *R. Jerala, M. Trstenjak, B. Lenarčič, V. Turk* 41

A centrifugation method for separation of plant viral genomic and subgenomic RNAs (FEB 06418) *S. Joshi, M.A. Wosnick* 45

Tumor necrosis factor stimulates prostaglandin production and cyclic AMP levels in rat cultured mesangial cells (FEB 06413) *L. Baud, J. Perez, G. Friedlander, R. Ardaillou* 50

Mechanism of decreased insulinogenesis in manganese-deficient rats: Decreased insulin mRNA levels (FEB 06416) *D.L. Baly, I. Lee, R. Doshi* 55

The high-molecular-mass kininogen deficient rat expresses all kininogen mRNA species, but does not export the high-molecular-mass kininogen synthesized (FEB 06412) *A.-L. Lattion, T. Baussant, F. Alhenc-Gelas, N.G. Seidah, P. Corvol, F. Soubrier* 59

Na^+, K^+-ATPase: tissue-specific expression of genes coding for α-subunit in diverse human tissues (FEB 06351) *E.D. Sverdlov, N.S. Akopyanz, K.E. Petrukhin, N.E. Broude, G.S. Monastyrskaya, N.N. Modyanov* 65

Characterization of yeast fructose-2,6-bisphosphate 6-phosphatase (FEB 06421) *U. Plankert, C. Purwin, H. Holzer* 69

Complete amino acid sequence of human placental 17β-hydroxysteroid dehydrogenase deduced from cDNA (FEB 06420) *H. Peltoketo, V. Isomaa, O. Mäentausta, R. Vihko* 73

Spectroscopic characterization of reaction center crystals from the carotenoid-containing wild-type strain *Rhodobacter sphaeroides* Y (FEB 06425) *F. Reiss-Husson, W. Mäntele* 78

Nuclear Overhauser effects in aqueous solution as dynamic probes in short linear peptides (FEB 06432) *J.L. Nieto, M.A. Jiménez, M. Rico, J. Santoro, J. Herranz* 83

Quantitative measurement of fusion between human immunodeficiency virus and cultured cells using membrane fluorescence dequenching (FEB 06423) *F. Sinangil, A. Loyter, D.J. Volsky* 88

Electron transfer from A_1^- to an iron-sulfur center with $t_{1/2}=200$ ns at room temperature in photosystem I: Characterization by flash absorption spectroscopy (FEB 06428) *K. Brettel* 93

Photo-CIDNP study of the interaction between *lac* repressor headpiece and *lac* operator DNA (FEB 06430) *S. Stob, R.M. Scheek, R. Boelens, R. Kaptein* 99

Published by Elsevier Science Publishers B.V. (Biomedical Division)

00145793/88/$3.50 © 1988 Federation of European Biochemical Societies

Thermodynamic parameters of the binding of the tight-binding I12X86 lac repressor to operator and non-operator DNA (FEB 06429) *J.C. Maurizot, P. Grebert* 105
Expression and electrophysiological identification of the receptor for bombesin and gastrin-releasing peptide in *Xenopus laevis* oocytes injected with polyA$^+$ RNA from rat brain (FEB 06422) *W. Meyerhof, S.D. Morley, D. Richter* 109
Cellular fibronectin is induced by epidermal growth factor, but not by dexamethasone or cyclic AMP in rat liver epithelial cells (FEB 06433) *T. Seebacher, M. Manske, A.R. Kornblihtt, E.G. Bade* 113
Effect of chemical modification at C1 of the glucosamine backbone of lipid A-subunit analog GLA-27 on manifestation of immunopharmacological activity (FEB 06398) *Y. Kumazawa, H. Takimoto, A. Yamamoto, J.Y. Homma, Y. Ogawa, M. Kiso, A. Hasegawa* 117
Characterization of an intronless human calmodulin-like pseudogene (FEB 06431) *M. Koller, E.E. Strehler* 121
Determination of three-dimensional structures of proteins from interproton distance data by dynamical simulated annealing from a random array of atoms: Circumventing problems associated with folding (FEB 06376) *M. Nilges, G.M. Clore, A.M. Gronenborn* 129
Isolation of ‹Glu-Gly-Leu-Arg-Trp-NH_2 (Antho-RWamide II), a novel neuropeptide from sea anemones (FEB 06424) *D. Graff, C.J.P. Grimmelikhuijzen* 137
Thymopoietins and long postsynaptic neurotoxins share common information in their primary structures (FEB 06437) *V. Skerl, M. Pavlović* 141
Signal peptide homology between the sweet protein thaumatin II and unrelated cereal α-amylase/trypsin inhibitors (FEB 06434) *A. Lázaro, P. Rodriguez-Palenzuela, C. Maraña, P. Carbonero, F. Garcia-Olmedo* 147
Phosphohistidine is found in basic nuclear proteins of *Physarum polycephalum* (FEB 06426) *K.H. Pesis, Y. Wei, M. Lewis, H.R. Matthews* 151
Prosomes, small cytoplasmic RNP particles, contain glycoproteins (FEB 06436) *W. Tomek, G. Adam, H.-P. Schmid* 155

Errata and Corrigenda 159

Notes to Authors 163

Research Letters

Adenosine 3′,5′-cyclic monophosphate (cAMP) inhibits phorbol ester-induced growth of an IL-2-dependent T cell line (FEB 06440) *Y. Goto, T. Takeshita, K. Sugamura* 165
Phosphoinositide breakdown and superoxide anion release in formyl-peptide-stimulated human alveolar macrophages: Comparison between quiescent and activated cells (FEB 06442) *M. Damon, H. Vial, A. Crastes de Paulet, P. Godard* 169
Cloned rat M3 muscarinic receptors mediate phosphoinositide hydrolysis but not adenylate cyclase inhibition (FEB 06439) *R. Pinkas-Kramarski, R. Stein, Y. Zimmer, M. Sokolovsky* 174
Similar short elements in the 5′ regions of the *STA2* and *SGA* genes from *Saccharomyces cerevisiae* (FEB 06438) *J.M. Pardo, E. Iáñez, M. Zalacain, M.G. Claros, A. Jiménez* 179
Expression of K channels in *Xenopus laevis* oocytes injected with poly(A) mRNA from the insulin-secreting β-cell line, HIT T15 (FEB 06435) *F.M. Ashcroft, S.J.H. Ashcroft, P.O. Berggren, C. Betzholz, P. Rorsman, G. Trube, M. Welsh* 185
UV-induced cross-linking of proteins to plasmid pBR322 containing 8-azidoadenine 2′-deoxyribonucleotides (FEB 06443) *R. Meffert, K. Dose* 190
A time-course study on superoxide generation and protein kinase C activation in human neutrophils (FEB 06452) *N.O. Christiansen* 195
Action spectra for photogene expression in etiolated pea seedlings (FEB 06454) *Y. Sasaki, K. Yoshida, A. Takimoto* 199
Calcium-dependence of chromogranin A-catecholamine interaction (FEB 06457) *R. Westermann, F. Stögbauer, K. Unsicker, R. Lietzke* 203

Mapping of two tyrosine residues involved in the quinone- (Q_B) binding site of the D-1 reaction center polypeptide of photosystem II (FEB 06446) *R. Dostatni, H.E. Meyer, W. Oettmeier* 207
Subpicosecond characterization of the optical properties of the primary electron donor and the mechanism of the initial electron transfer in *Rhodobacter capsulatus* reaction centers (FEB 06447) *C. Kirmaier, D. Holten* 211
Expression of human cathepsin B protein in *Escherichia coli* (FEB 06448) *M. Man-Ying Chan, D. Fong* 219
Estrogen-controlled gene expression in tissue culture cells by zearalenone (FEB 06449) *U.E. Mayr* 223
Islet amyloid polypeptide: identification and chromosomal localization of the human gene (FEB 06450) *S. Mosselman, J.W.M. Höppener, J. Zandberg, A.D.M. van Mansfeld, A.H.M. Geurts van Kessel, C.J.M. Lips, H.S. Jansz* 227
Isolation and characterization of a fraction from brain that inhibits 1,4-[^{3}H]dihydropyridine binding and L-type calcium channel current (FEB 06445) *R.A. Janis, A.V. Shrikhande, D.E. Johnson, R.T. McCarthy, A.D. Howard, R. Greguski, A. Scriabine* 233
Identification of lysine residue 199 of human serum albumin as a binding site for benzylpenicilloyl groups (FEB 06444) *M. Yvon, J.-M. Wal* 237
Cytosolic ADP enhances the sensitivity to tolbutamide of ATP-dependent K^+ channels from pancreatic B-cells (FEB 06455) *B.J. Zünkler, S. Lins, T. Ohno-Shosaku, G. Trube, U. Panten* 241
A cAMP-triggered release of a hormone-like peptide (FEB 06466) *R. Riven-Kreitman, V. Ribon, M. Tauber-Finkelstein, S. Shaltiel* 245
The binding of in vitro synthesized adenovirus DNA binding protein to single-stranded DNA is stimulated by zinc ions (FEB 06459) *H.L. Vos, F.M. van der Lee, J.S. Sussenbach* 251
GTP modulates calcium binding and cation-induced conformational changes in erythrocyte transglutaminase (FEB 06458) *C.M. Bergamini* 255
Protochlorophyllide reductase: a flavoprotein? (FEB 06462) *C.J. Walker, W.T. Griffiths* 259
Biosynthesis of psoralens: Psoralen 5-monooxygenase activity from elicitor-treated *Ammi majus* cells (FEB 06461) *D. Hamerski, U. Matern* 263
Backbone folding of the polypeptide cardiac stimulant anthopleurin-A determined by nuclear magnetic resonance, distance geometry and molecular dynamics (FEB 06460) *A.E. Torda, B.C. Mabbutt, W.F. van Gunsteren, R.S. Norton* 266
Importance of folded monomer and extended antiparallel dimer structures as enkephalin active conformation: Molecular dynamics simulations of [Met^5]enkephalin in water (FEB 06456) *S. Yoneda, K. Kitamura, M. Doi, M. Inoue, T. Ishida* 271
Ethanolamine base exchange enzymatic activities in spontaneous transformed glial cell lines: Effect of dibutyryl cyclic AMP treatment (FEB 06463) *P. El-Achkar, P. Mandel, M. Mersel* 276
Protein kinase C activators inhibit the antigen receptor-coupled polyphosphoinositide phosphodiesterase in murine B lymphocytes (FEB 06464) *M.M. Harnett, G.G.B. Klaus* 281
Cleavage of specific sites of RNA by designed ribozymes (FEB 06468) *M. Koizumi, S. Iwai, E. Ohtsuka* 285
A cytoplasmic-membrane protein repressible by ammonium in *Synechococcus* R2: altered expression in nitrate-assimilation mutants (FEB 06467) *F. Madueño, M.A. Vega-Palas, E. Flores, A. Herrero* 289
The first crystallization of a vanadium-dependent peroxidase (FEB 06484) *A. Müller-Fahrnow, W. Hinrichs, W.Saenger, H. Vilter* 292
Enhancement by streptozotocin of O_2^- radical generation by the xanthine oxidase system of pancreatic β-cells (FEB 06441) *M. Nukatsuka, H. Sakurai, Y. Yoshimura, M. Nishida, J. Kawada* 295
Recombinant interferon-β2 (interleukin-6) induces myeloid differentiation (FEB 06465) *L. Chen, D. Novick, M. Rubinstein, M. Revel* 299
Assignment of the human aminopeptidase N (peptidase E) gene to chromosome 15q13-qter (FEB 06471) *T.A. Kruse, L. Bolund, K.-H. Grzeschik, H.H. Ropers, J. Olsen, H. Sjöström, O. Norén* 305

The interaction of nuclear proteins with essential promoter element of the chicken cardiac myosin light chain 2 gene is involved in muscle-specific transcription (FEB 06478) *T. Braun, G. Buschhausen-Denker, E. Tannich, H.H. Arnold* 309
Sequence of the gene for ribosomal protein L23 from the archaebacterium *Methanococcus vannielii* (FEB 06486) *A.K.E. Köpke, B. Wittmann-Liebold* 313
DNA-binding protein(s) interacts with a conserved nonameric sequence in the upstream regions of wheat histone genes (FEB 06476) *T. Kawata, T. Nakayama, K. Mikami, T. Tabata, H. Takase, M. Iwabuchi* 319
Levels of 7α-hydroxy-4-cholesten-3-one in plasma reflect rates of bile acid synthesis in man (FEB 06473) *M. Axelson, A. Aly, J. Sjövall* 324
N-terminal amino acid sequence of a major allergen of Japanese cedar pollen (*Cry j* I) (FEB 06474) *M. Taniai, S. Ando, M. Usui, M. Kurimoto, M. Sakaguchi, S. Inouye, T. Matuhasi* 329
Regulation of polypeptide-chain initiation in rat skeletal muscle: Starvation does not alter the activity or phosphorylation state of initiation factor eIF-2 (FEB 06475) *S. Cox, N.T. Redpath, C.G. Proud* 333
Tissue distribution of mRNAs encoding muscarinic acetylcholine receptor subtypes (FEB 06483) *A. Maeda, T. Kubo, M. Mishina, S. Numa* 339
An enzyme which specifically splits a covalent bond between picornaviral RNA and VPg (FEB 06477) *Yu. Drygin, A. Shabanov, A. Bogdanov* 343
Highly sensitive and reliable chemiluminescence method for the assay of superoxide dismutase in human erythrocytes (FEB 06482) *H. Kimura, M. Nakano* 347
A single-crystal EPR study of the reduced iron-quinone acceptor complex in reaction centers of *Rhodopseudomonas viridis* (FEB 06470) *R.G. Evelo, H.M. Nan, A.J. Hoff* 351
Oscillations of cytosolic calcium in single pancreatic acinar cells stimulated by acetylcholine (FEB 06472) *D.I. Yule, D.V. Gallacher* 358
Inhibition by staurosporine of mitogen-induced calcium mobilisation in human T lymphoblasts (FEB 06479) *S.G. Ward, D. Cantrell, J. Westwick* 363
Nerve growth factor increases the cyclic GMP level and activates the cyclic GMP phosphodiesterase in PC12 cells (FEB 06489) *T. Laasberg, A. Pihlak, T. Neuman, H. Paves, M. Saarma* 367
Does protein kinase C control receptor-mediated phagocytosis in human neutrophils? (FEB 06488) *T. Andersson, M. Fällman, D.P. Lew, O. Stendahl* 371
Book Reviews and Booklist no. 85 376

Author Index 391

Table of Contents 396

Notes to Authors 400